

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 7161-1601:100 Page 1 of 1

CATEGORY: Cables-Fire Protective Signaling

LISTEE: Tyco Thermal Controls (Canada) Ltd, 250 West Street, Trenton, Ontario Canada K8V 5S2
Contact: Meri Tjipto (613) 392-6571 Fax (613) 394-3711

DESIGN: Model Pyro CIC power limited fire alarm signaling cable. Refer to listee's data sheet for detailed product description and operational considerations.

Conductors: Two or more annealed copper conductors
Drain/ground wire: Tinned copper
Insulation: Silicone compound GE Bayer LP4660A over mica tape
Shield: Copper/Myler tape
Jacket: Scapa Polymerics Megolon 300 thermoplastic

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances, NEC Article 760 and in a manner acceptable to the authority having jurisdiction

MARKING: Listee's name, Type "FPL", model number, electrical rating and UL label.

APPROVAL: Listed as power-limited fire protective signaling cables.

5-01-03KK



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 10, 2003**

*Listing Expires **June 30, 2004***

Authorized By: **DIANE K. AREND**, Senior Deputy
Program Manager